

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A ~~drawer type door opening/closing structure for a refrigerator, the structure comprising:~~

a refrigerator body having a storage space formed therein;

a door configured to selectively open and close ~~a the~~ storage space formed in ~~a the~~ refrigerator body by being drawn out and pushed into the refrigerator body in a manner in which a drawer is moved, ~~the door being capable of being pivoted about a lower end of the door;~~

at least one support frame in the shape of an inverted "L" hingedly connected at a ~~frontal~~ lower end to a rear surface of the door thereby creating a hinge connection to allow the door to pivot about the lower end of the door ~~and allow a storage box for storing an object to be seated behind the door, a horizontal part of the at least one support frame extending rearward,~~ and a vertical part of the at least one support frame extending downward;

a door basket mounted on the support frame at a rear of the door; and

at least one cover bracket protruding backward from the rear surface of the door at a position adjacent to and outward of the at least one support frame and hinge connection ~~and rotating together with the door;~~

at least one tilting latch which is provided at one side of the rear surface of the door and has a latch jaw; and

a stopper pin which is provided on the support frame, wherein the latch jaw and the stopper pin when engaged with each other limit a range within which the door can be pivoted, and wherein when the door is pivoted, the cover bracket shields the hinge connection, and at least a part of the support frame, the tilting latch, and the stopper pin, and blocks off access from an outside of the door to the hinge connection, the tilting latch, and the stopper pin.

2.-5. (Canceled)

6. (Currently Amended) The ~~structure~~-refrigerator as claimed in claim 1, further comprising:

at least one movable rail formed on the support frame; and

at least one guide rail formed on an inner surface of a side wall of the refrigerator body, wherein the guide rail is engaged with the movable rail, and guides movement of the support frame.

7-11. (Canceled)

Serial No. **10/801,565**

Docket No. **IK-0084**

Amendment dated October 22, 2008

Reply to Office Action of July 23, 2008

12. (Currently Amended) The ~~structure refrigerator~~ as claimed in claim 1, wherein the at least one cover bracket is formed a predetermined distance apart from the at least one support frame and the hinge connection.

13. (Canceled)